

# COPYSTAR DISTRIBUTION PRODUCT LINE CARD

## MFP



	CS 3511i	CS 3011i	FS-6530MFP	FS-6525MFP	FS-C8525MFP	FS-C8520MFP	ECOSYS M6535cidn	ECOSYS M6035cidn	ECOSYS M6530cdn	CS 406ci	CS 356ci	CS 306ci	CS 2552ci
Color/Monochrome (BW)	Monochrome	Monochrome	Monochrome	Monochrome	Color	Color	Color	Color	Color	Color	Color	Color	Color
Speed	35ppm BW	30ppm BW	30ppm BW	25ppm BW	25ppm Color 25ppm BW	20ppm Color 20ppm BW	37ppm Color 37ppm BW	37ppm Color 37ppm BW	32ppm Color 32ppm BW	42ppm Color 42ppm BW	37ppm Color 37ppm BW	32ppm Color 32ppm BW	25ppm Color 25ppm BW
Functionality	Print, Copy, Scan	Print, Copy, Scan	Print, Copy, Scan	Print, Copy, Scan	Print, Copy, Scan	Print, Copy, Scan	Print, Copy, Scan, Fax	Print, Copy, Scan	Print, Copy, Scan, Fax	Print, Copy, Scan	Print, Copy, Scan	Print, Copy, Scan	Print, Copy, Scan
Fax	Optional	Optional	Optional	Optional	Optional	Optional	Standard	N/A	Standard	Optional	Optional	Optional	Optional
Panel Display	9" color touchscreen	9" color touchscreen	Keypad and 4.3" color touchscreen	Keypad and 4.3" color touchscreen	Keypad and 4.3" color touchscreen	Keypad and 4.3" color touchscreen	Keypad and 7" color touchscreen	Keypad and 7" color touchscreen	Keypad and LCD / 5 line	7" color touchscreen	7" color touchscreen	Keypad and 4.3" color touchscreen	9" color touchscreen
Standard Document Feeder Capacity	270-sheet DSDP 50 and 140 Sheet RADF	270-sheet DSDP 50 and 140 Sheet RADF	50-sheet RADF	50-sheet RADF	50-sheet RADF	50-sheet RADF	75-sheet RADF	75-sheet RADF	75-sheet RADF	Optional 75-sheet DSDP and RADF	Optional 75-sheet DSDP and RADF	75-sheet RADF	270-sheet DSDP 50 and 140 Sheet RADF
Paper Capacity Standard/Maximum	1,100 / 4,100 sheets	1,100 / 4,100 sheets	600 / 1,600 sheets	600 / 1,600 sheets	600 / 1,600 sheets	600 / 1,600 sheets	350 / 1,850 sheets	350 / 1,850 sheets	350 / 1,850 sheets	600 / 3,100 sheets	600 / 3,100 sheets	600 / 3,100 sheets	1,150 / 7,150 sheets
Maximum Original Size	11" x 17"	11" x 17"	11" x 17"	11" x 17"	11" x 17"	11" x 17"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	11" x 17"
Memory Standard/Maximum	2GB RAM / 2GB RAM	2GB RAM / 2GB RAM	1GB RAM / 2GB RAM	1GB RAM / 2GB RAM	1.5GB RAM / 2GB RAM	1.5GB RAM / 2GB RAM	1GB RAM / 2GB RAM, 32GB or 128GB HD	1GB RAM / 2GB RAM, 32GB or 128GB HD	1GB RAM / 2GB RAM	2GB RAM / 2GB RAM	2GB RAM / 2GB RAM	1GB RAM / 2GB RAM	4GB RAM / 4GB RAM
Interface	Optional: Dual NIC and Wireless	Optional: Dual NIC and Wireless	10/100/1000BaseT	10/100/1000BaseT	10/100/1000BaseT	10/100/1000BaseT	10/100/1000BaseTX, 802.11b/g/n	10/100/1000BaseTX, 802.11b/g/n	10/100/1000BaseTX, 802.11b/g/n	10/100/1000BaseTX, TCP/IP, USB 2.0	10/100/1000BaseTX, TCP/IP, USB 2.0	10/100/1000BaseTX, TCP/IP, USB 2.0	Optional: Dual NIC and Wireless
Maximum Monthly Volume	150,000	125,000	100,000	80,000	40,000	30,000	100,000	100,000	100,000	150,000	100,000	100,000	100,000
PM Cycle	600,000	600,000	300,000	300,000	200,000	200,000	200,000	200,000	200,000	300,000	200,000	200,000	200,000
Drum Yield	600,000	600,000	300,000	300,000	200,000	200,000	200,000	200,000	200,000	300,000	200,000	200,000	200,000
Toner Yield* (Approximate)	35,000 (K)	20,000 (K)	15,000 (K) 3,000 Starter (K)	15,000 (K) 3,000 Starter (K)	12,000 (K) 6,000 (CMY) 3,000 Starter (K) 1,500 Starter (CMY)	12,000 (K) 6,000 (CMY) 3,000 Starter (K) 1,500 Starter (CMY)	12,000 (K) 10,000 (CMY) 6,000 Starter (K) 5,000 Starter (CMY)	12,000 (K) 10,000 (CMY) 6,000 Starter (K) 5,000 Starter (CMY)	7,000 (K) 5,000 (CMY) 3,500 Starter (K) 2,500 Starter (CMY)	20,000 (K) 15,000 (CMY)	18,000 (K) 12,000 (CMY)	15,000 (K) 7,000 (CMY)	20,000 (K) 12,000 (CMY)
Optional Finishing	Staple	Staple	Staple	Staple	Staple	Staple	N/A	N/A	N/A	Staple & Hole Punch	Staple & Hole Punch	Staple	Staple
Embedded Software Architecture	HyPAS	HyPAS	HyPAS (w/ CF card)	HyPAS (w/ CF card)	HyPAS (w/ CF card)	HyPAS (w/ CF card)	HyPAS (w/ SD card)	HyPAS (w/ SD card)	N/A	HyPAS	HyPAS	HyPAS (w/ SD card)	HyPAS

\* Percentages may vary. Refer to <http://usa.kyoceradocumentsolutions.com/> and product specification sheets for details.

MFP



	ECOSYS M3560idn	ECOSYS M3550idn	ECOSYS M3540idn	ECOSYS M3040idn	ECOSYS M2640idw	ECOSYS M2540dw	ECOSYS M2040dn	ECOSYS M2635dw	ECOSYS M2535dn	ECOSYS M2035dn	ECOSYS M5526cdw	ECOSYS M5521cdw
<b>Color/Monochrome (BW)</b>	Monochrome	Monochrome	Monochrome	Monochrome	Monochrome	Monochrome	Monochrome	Monochrome	Monochrome	Monochrome	Color	Color
<b>Speed</b>	62ppm BW	52ppm BW	42ppm BW	42ppm BW	42ppm BW	42ppm BW	42ppm BW	37ppm BW	37ppm BW	37ppm BW	27ppm Color 27ppm BW	22ppm Color 22ppm BW
<b>Functionality</b>	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print, Copy, Scan	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print, Copy, Scan	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax	Print, Copy, Scan, Fax
<b>Fax</b>	Standard	Standard	Standard	N/A	Standard	Standard	NA	Standard	Standard	N/A	Standard	Standard
<b>Panel Display</b>	Keypad and 7" color touchscreen	Keypad and 7" color touchscreen	Keypad and 7" color touchscreen	Keypad and 7" color touchscreen	Keypad and 4.3" color touchscreen	Keypad and LCD / 5 line	Keypad and LCD / 5 line	Keypad and LCD / 5 line	Keypad and LCD / 5 line	Keypad and LCD / 5 lines	Keypad and 4.3" color touchscreen	Keypad and LCD / 5 line
<b>Standard Document Feeder Capacity</b>	75-sheet RADF	75-sheet RADF	75-sheet RADF	75-sheet RADF	50-Sheet DSDP	50-Sheet DSDP	50-Sheet DSDP	50-Sheet ADF	50-sheet RADF	50-sheet RADF	50-sheet DSDP	50-sheet ADF
<b>Paper Capacity Standard/Maximum</b>	600 / 2,600 sheets	600 / 2,600 sheets	600 / 2,600 sheets	600 / 2,600 sheets	350 / 850 sheets	350 / 850 sheets	350 / 850 sheets	350 / 850 sheets	300 / 800 sheets	300 / 800 sheets	300 / 550 sheets	300 / 550 sheets
<b>Maximum Original Size</b>	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"
<b>Memory Standard/Maximum</b>	1GB RAM / 2GB RAM, 32GB or 128GB HD	1GB RAM / 2GB RAM, 32GB or 128GB HD	1GB RAM / 2GB RAM, 32GB or 128GB HD	1GB RAM / 2GB RAM, 32GB or 128GB HD	512MB RAM / 1.5GB RAM	512MB RAM / 1.5GB RAM	512MB RAM / 1.5GB RAM	512MB RAM / 1.5GB RAM	512MB RAM / 1.5GB RAM	512MB RAM / 1.5GB RAM	512MB RAM / 1.5GB RAM	512MB RAM / 1.5GB RAM
<b>Interface</b>	10/100/1000BaseTX, 802.11b/g/n	10/100/1000BaseTX, 802.11b/g/n	10/100/1000BaseTX, 802.11b/g/n	10/100/1000BaseTX, 802.11b/g/n	10/100/1000BaseTX, 802.11b/g/n, Wi-Fi Direct	10/100/1000BaseTX, 802.11b/g/n, Wi-Fi Direct	10/100/1000BaseTX, USB	10/100/1000BaseTX, 802.11b/g/n, Wi-Fi Direct	10/100/1000BaseTX	10/100/1000BaseTX	10/100/1000BaseTX, 802.11b/g/n, WiFi Direct	10/100/1000BaseTX, 802.11b/g/n, WiFi Direct
<b>Maximum Monthly Volume</b>	275,000	250,000	150,000	150,000	50,000	50,000	50,000	20,000	50,000	50,000	65,000	65,000
<b>PM Cycle</b>	500,000	500,000	300,000	300,000	100,000	100,000	100,000	100,000	100,000	100,000	---	---
<b>Drum Yield</b>	500,000	500,000	300,000	300,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
<b>Toner Yield* (Approximate)</b>	25,000 (K) 10,000 Starter (K)	21,000 (K) 10,000 Starter (K)	12,500 (K) 6,000 Starter (K)	12,500 (K) 6,000 Starter (K)	7,200 (K) 3,600 Starter (K)	7,200 (K) 3,600 Starter (K)	7,200 (K) 3,600 Starter (K)	3,000 (K) 1,000 Starter (K)	7,200 (K) 3,600 Starter (K)	7,200 (K) 3,600 Starter (K)	4,000 (K) 3,000 (CMY), 1.2k Starter (CMYK)	Std: 1,200 High: 2,600 (K) 2,200 (CMY), 1.2k Starter (CMYK)
<b>Optional Finishing</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>Embedded Software Architecture</b>	HyPAS (w/ SD card)	HyPAS (w/ SD card)	HyPAS (w/ SD card)	HyPAS (w/ SD card)	HyPAS (w/ Memory and SD Card)	N/A	N/A	N/A	N/A	N/A	N/A	N/A

\* Percentages may vary. Refer to <http://usa.kyoceradocumentsolutions.com/> and product specification sheets for details.

## PRINTER



	ECOSYS P3060dn	ECOSYS P3055dn	ECOSYS P3050dn	ECOSYS P3045dn	ECOSYS P2040dw	ECOSYS P2235dw	ECOSYS P5026cdw	ECOSYS P5021cdw	ECOSYS P2035d	ECOSYS P2135dn	ECOSYS P2135d
<b>Color/Monochrome (BW)</b>	Monochrome	Monochrome	Monochrome	Monochrome	Monochrome	Monochrome	Color	Color	Monochrome	Monochrome	Monochrome
<b>Speed</b>	62ppm BW	57ppm BW	52ppm BW	47ppm BW	42ppm BW	37ppm BW	27ppm Color 27ppm BW	22ppm Color 22ppm BW	37ppm BW	37ppm BW	37ppm BW
<b>Functionality</b>	Print	Print	Print	Print	Print	Print	Print	Print	Print	Print	Print
<b>Fax</b>	NA	NA	NA	NA	NA	NA	N/A	N/A	N/A	N/A	N/A
<b>Panel Display</b>	Keypad and LCD / 5 line	Keypad and LCD / 5 line	Keypad and LCD / 5 line	Keypad and LCD / 5 line	LCD / 2 lines	LED	LCD / 2 lines	LCD / 2 lines	LED	LCD/2 lines	LCD/2 lines
<b>Standard Document Feeder Capacity</b>	NA	NA	NA	NA	NA	NA	N/A	N/A	N/A	N/A	N/A
<b>Paper Capacity Standard/Maximum</b>	600 / 2600 sheets	600 / 2600 sheets	600 / 2600 sheets	600 / 2600 sheets	350 / 850 sheets	350 / 850 sheets	300 / 550 sheets	300 / 550 sheets	300 / 550 sheets	300 / 800 sheets	300 / 800 sheets
<b>Maximum Original Size</b>	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"	8.5" x 14"
<b>Memory Standard/Maximum</b>	512-MB RAM/ 2.5-GB RAM	512-MB RAM/ 2.5-GB RAM	512-MB RAM/ 2.5-GB RAM	512-MB RAM/ 2.5-GB RAM	256-MB RAM/ 256-MB RAM	256-MB RAM/ 256-MB RAM	512MB RAM	512MB RAM	32MB / 544MB	256MB / 1,280MB	32MB / 544MB
<b>Interface</b>	10/100/ 1000BaseTX, 1 Hi-Speed USB 2.0, 2 USB Host	10/100/ 1000BaseTX, 1 Hi-Speed USB 2.0, 2 USB Host	10/100/ 1000BaseTX, 1 Hi-Speed USB 2.0, 2 USB Host	10/100/ 1000BaseTX, 1 Hi-Speed USB 2.0, 2 USB Host	10/100/ 1000BaseTX, 802.11b/g/n, WiFi Direct	10/100/ 1000BaseTX, 802.11b/g/n, WiFi Direct	10/100/ 1000BaseTX, 802.11b/g/n, WiFi Direct	10/100/ 1000BaseTX, 802.11b/g/n, WiFi Direct	USB 2.0	10/100/ 1000BaseTX Ethernet, USB 2.0	10/100/ 1000BaseTX Ethernet, USB 2.0
<b>Maximum Monthly Volume</b>	300,000	275,000	250,000	200,000	80,000	50,000	65,000	65,000	25,000	50,000	50,000
<b>PM Cycle</b>	500,000	500,000	500,000	300,000	100,000	100,000	---	---	100,000	100,000	100,000
<b>Drum Yield</b>	500,000	500,000	500,000	300,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
<b>Toner Yield* (Approximate)</b>	25,000 (K) 10,000 Starter (K)	21,000 (K) 10,000 Starter (K)	15,500 (K) 8,000 Starter (K)	12,500 (K) 6,000 Starter (K)	7,200 (K) 3,600 Starter (K)	3,000 (K) 1,000 Starter (K)	4,000 (K) 3,000 (K) 1.2k Starter (CMYK)	Std: 1,200 High 2,600 (K) 2,200 (CMY), 1.2k Starter (CMYK)	2,500 (K) 1,000 Starter (K)	7,200 (K) 2,300 Starter (K)	7,200 (K) 2,300 Starter (K)
<b>Optional Finishing</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>Embedded Software Architecture</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

\* Percentages may vary. Refer to <http://usa.kyoceradocumentsolutions.com/> and product specification sheets for details.



Specifications are subject to change without notice.  
©2017 KYOCERA Document Solutions America, Inc.

KYOCERA Document Solutions America, Inc. ([www.usa.kyoceradocumentsolutions.com](http://www.usa.kyoceradocumentsolutions.com)), headquartered in Fairfield, N.J., is a leading provider of computer-connectable document imaging and document management systems, including network-ready digital MFPs/printers, laser printers, color MFPs/printers, digital laser facsimiles, and multifunctional and wide-format imaging solutions. KYOCERA Document Solutions America is a group company of KYOCERA Document Solutions Inc., a core company of the KYOCERA Corporation, the world's leading developer and manufacturer of advanced ceramics and associated products, including telecommunications equipment, semiconductor packages and electronic components.